Orthopaedic Implant Catalog

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Table of Contents

Small Fragment Plates.....1-5

Large Fragment Plates.....6-9

Screws 10-23

Wires.....23

Washers 23

Instruments 24-37

Trays 38

Small Fragment Set 39-45

Large Fragment Set 46-52

Alphabetic Glossary.....53-54

Numeric Glossary 55

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Small Fragment Plates

Compression holes accept 3.5mm Cortical, 3.5mm Shaft and 4.0mm Cancellous Screws
Locking holes accept 3.5mm Locking, 3.5mm Cortical, 3.5mm Shaft, and 4.0 Cancellous Screws

3.5mm Straight Compression Plate

Product #	Holes	Length
73525.5	2	25mm
73538.5	3	38mm
73551.5	4	51mm
73564.5	5	64mm
73577.5	6	77mm
73590.5	7	90mm
735103.5	8	103mm
735116.5	9	116mm
735129.5	10	129mm
735142.5	11	142mm
735155.5	12	155mm
735181.5	14	181mm
735195.5	15	195mm
735207.5	16	207mm
735233.5	18	233mm
735259.5	20	259mm

SPECIFICATIONS

Light contact contouring
Plate Thickness: 3.3mm
Plate Width: 11.0mm
Hole Spacing: 13.0mm

3.5mm Broad Compression Plate

Product #	Holes	Length
735902.5	7	90mm
7351032.5	8	103mm
7351162.5	9	116mm
7351292.5	10	129mm
7351552.5	12	155mm
7351812.5	14	181mm
7352072.5	16	207mm
7352332.5	18	233mm
7352592.5	20	259mm

SPECIFICATIONS

Light contact contouring
Plate Thickness: 4.2mm
Plate Width: 13.5mm
Hole Spacing: 16mm

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Small Fragment Plates

Compression holes accept 3.5mm Cortical, 3.5mm Shaft and 4.0mm Cancellous Screws
Locking holes accept 3.5mm Locking, 3.5mm Cortical, 3.5mm Shaft, and 4.0 Cancellous Screws

3.5mm Straight Locking/Compression Plate

Product #	Holes	Length
835731	7	73mm
835821	8	82mm
835911	9	91mm
8351091	11	109mm
8351271	13	127mm
8351361	14	136mm
8351451	15	145mm
8351631	17	163mm
8351901	20	190mm

SPECIFICATIONS

Light contact contouring

Bullet nose

Plate Thickness: 3.4mm

Plate Width: 11mm

Hole Spacing: 9mm

1/3 Tubular Plate

Product #	Holes	Length
73525	2	25mm
73537	3	37mm
73549	4	49mm
73561	5	61mm
73573	6	73mm
73585	7	85mm
73597	8	97mm
735109	9	109mm
735121	10	121mm
735145	12	145mm

SPECIFICATIONS

Plate Thickness: 1.5mm

Plate Width: 9mm

Hole Spacing: 12mm

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Compression holes accept 3.5mm Cortical, 3.5mm Shaft and 4.0mm Cancellous Screws
Locking holes accept 3.5mm Locking, 3.5mm Cortical, 3.5mm Shaft, and 4.0 Cancellous Screws

1/3 Tubular Locking Plate

Product #	Holes	Length
83533	3	33mm
83545	4	45mm
83557	5	57mm
83569	6	69mm
83581	7	81mm
83593	8	93mm
835105	9	105mm
835117	10	117mm
835129	11	129mm
835141	12	141mm

SPECIFICATIONS
Plate Thickness: 1.0mm
Plate Width: 8.75mm
Hole Spacing: 12mm

3.5mm Reconstruction Plate

Product #	Holes	Length
73558	5	58mm
73570	6	70mm
73582	7	82mm
73594	8	94mm
735106	9	106mm
735118	10	118mm

SPECIFICATIONS
Light contact contouring
Plate Thickness: 2.8mm
Plate Width: 10mm
Hole Spacing: 12mm

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Small Fragment Plates

Compression holes accept 3.5mm Cortical, 3.5mm Shaft and 4.0mm Cancellous Screws
Locking holes accept 3.5mm Locking, 3.5mm Cortical, 3.5mm Shaft, and 4.0 Cancellous Screws

3.5mm Locking/Compression Reconstruction Plate

Product #	Holes	Length
83572	6	72mm
83584	7	84mm
83596	8	96mm
835108	9	108mm
835120	10	120mm
835144	12	144mm
835156	13	156mm
835168	14	168mm
835180	15	180mm

SPECIFICATIONS

Plate Thickness: 2.8mm

Plate Width: 10mm

Hole Spacing: 12mm

3.5mm Locking T-Plate, Right Angle

Product #	Head Holes	Shaft Holes	Length
83550	3	3	50mm
83567	3	5	67mm
83587	3	7	87mm
835564	4	4	56mm
835784	4	6	78mm

SPECIFICATIONS

Plate Thickness: 1.2mm

Plate Width: 10mm

Head Angle: 18.5°

Hole Spacing: 12.0mm

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Compression holes accept 3.5mm Cortical, 3.5mm Shaft and 4.0mm Cancellous Screws
Locking holes accept 3.5mm Locking, 3.5mm Cortical, 3.5mm Shaft, and 4.0 Cancellous Screws

3.5mm T-Plate, Oblique Angled

Product #	Head Holes	Shaft Holes	Length
73553.3	3	3	53mm
73563.3	3	4	63mm
73575.3	3	5	75mm

SPECIFICATIONS

Plate Thickness: 1.5mm

Plate Width: 10mm

3.5mm Right Angle T-Plate

Product #	Head Holes	Shaft Holes	Length
73550	3	3	50mm
73556	4	4	56mm
73567	3	5	67mm

SPECIFICATIONS

Plate Thickness: 1.2mm

Plate Width: 10mm

3.5mm Locking T-Plate

Oblique Right

Product #	Head Holes	Shaft Holes	Length
835526	3	3	52mm
835636	3	4	63mm
835746	3	5	74mm
835966	3	7	96mm

Oblique Left

Product #	Head Holes	Shaft Holes	Length
835527	3	3	52mm
835637	3	4	63mm
835747	3	5	74mm
835967	3	7	96mm

SPECFICATIONS

Plate Thickness: 1.5mm

Plate Width: 10mm

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Large Fragment Plates

Compression holes accept 4.5mm Cortical, 4.5mm Shaft and 6.5mm Cancellous Screws
Locking holes accept 4.0mm and 5.0mm Locking, 4.5mm Cortical, 4.5mm Shaft, and 6.5 Cancellous Screws

4.5mm Narrow Straight Compression Plates

Product #	Holes	Length
745701.5	4	70mm
745881.5	5	88mm
7451061.5	6	106mm
7451241.5	7	124mm
7451421.5	8	142mm
7451601.5	9	160mm
7451781.5	10	178mm
7452141.5	12	214mm

SPECIFICATIONS

Light contact contouring

Plate Thickness: 4.2mm

Plate Width: 13.5mm

Hole Spacing: 18mm

4.5mm Broad Straight Compression Plates

Product #	Holes	Length
7451062.5	6	106mm
7451242.5	7	124mm
7451422.5	8	142mm
7451602.5	9	160mm
7451782.5	10	178mm
7452142.5	12	214mm
7452502.5	14	250mm

SPECIFICATIONS

Light contact contouring

Plate Thickness: 5.2mm

Plate Width: 17.5mm

Hole Spacing: 18mm

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Compression holes accept 4.5mm Cortical, 4.5mm Shaft and 6.5mm Cancellous Screws
Locking holes accept 4.0mm and 5.0mm Locking, 4.5mm Cortical, 4.5mm Shaft, and 6.5 Cancellous Screws

4.5mm Narrow Straight Locking/Compression Plates

Product #	Holes	Length
845671	4	67mm
845801	5	80mm
845931	6	93mm
8451191	8	119mm
8451321	9	132mm
8451451	10	145mm
8451581	11	158mm
8451711	12	171mm
8451841	13	184mm
8452101	15	210mm
8452231	16	223mm
8452621	19	262mm
8453011	22	301mm

SPECIFICATIONS
Light contact contouring
Bullet Nose
Plate Thickness: 4.2mm
Plate Width: 13.5mm
Hole Spacing: 13mm

4.5mm Broad Straight Locking/Compression Plates

Product #	Holes	Length
8451192	8	119mm
8451322	9	132mm
8451452	10	145mm
8451582	11	158mm
8451712	12	171mm
8451842	13	184mm
8452102	15	210mm
8452232	16	223mm
8452622	19	262mm
8453012	22	301mm

SPECIFICATIONS
Light contact contouring
Bullet Nose
Plate Thickness: 5.2mm
Plate Width: 17.5mm
Hole Spacing: 13mm

Large Fragment Plates

Compression holes accept 4.5mm Cortical, 4.5mm Shaft and 6.5mm Cancellous Screws
Locking holes accept 4.0mm and 5.0mm Locking, 4.5mm Cortical, 4.5mm Shaft, and 6.5 Cancellous Screws

4.5mm Semi-Tubular Plate

Product #	Holes	Length
74571	4	71mm
74587	5	87mm
745103	6	103mm
745119	7	119mm

SPECIFICATIONS

Plate Thickness: 1.0mm

Plate Width: 12mm

Hole Spacing: 16mm

4.5mm T-Plates

Product #	Holes	Length
74584	4	84mm
745116	6	116mm
745148	8	148mm

SPECIFICATIONS

Plate Thickness: 2mm

Plate Width: 17mm

Hole Angle: 16.5°

Hole Spacing: 16mm

4.5mm Locking T-Plates

Product #	Holes	Length
84583	4	83mm
845115	6	115mm
845147	8	147mm

SPECIFICATIONS

Plate Thickness: 2mm

Plate Width: 17mm

Head Angle: 16.5°

Hole Spacing: 16mm

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Compression holes accept 4.5mm Cortical, 4.5mm Shaft and 6.5mm Cancellous Screws
Locking holes accept 4.0mm and 5.0mm Locking, 4.5mm Cortical, 4.5mm Shaft, and 6.5 Cancellous Screws

4.5mm Buttress Plate

T-Buttress

Product #	Holes	Length
74580	4	80mm

L-Buttress

Product #	Holes	Length
745866 *Right*	4	86mm
745867 *Left*	4	86mm

T-BUTTRESS SPECIFICATIONS

Plate Thickness: 2mm

Plate Width: 17mm

L-BUTTRESS SPECIFICATIONS

Plate Thickness: 2mm

Plate Width: 15.5mm

2.7mm Cortical Screw, Self-Tapping



SPECIFICATIONS

Thread Diameter: 2.7mm

Core Diameter: 1.9mm

Head Diameter: 5.0mm

Thread Pitch: 1.0mm

Self Tapping

Socket: 2.5mm hexagonal

Drills	Diameter	Product #
Threaded Hole	2.0mm	94202
Gliding Hole	2.7mm	94272

Product #	Length
2276	6mm
2278	8mm
22710	10mm
22712	12mm
22714	14mm
22716	16mm
22718	18mm
22720	20mm
22722	22mm
22725	24mm
22726	26mm
22728	28mm
22730	30mm
22733	32mm
22734	34mm
22736	36mm
22738	38mm
22740	40mm
22745	45mm
22750	50mm
22755	55mm

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

3.5mm Cortical Screw, Self-Tapping

Product #	Length
23510	10mm
23512	12mm
23514	14mm
23516	16mm
23518	18mm
23520	20mm
23522	22mm
23524	24mm
23526	26mm
23528	28mm
23530	30mm
23532	32mm
23534	34mm
23536	36mm
23538	38mm
23540	40mm
23542	42mm
23544	44mm
23545	45mm
23546	46mm
23548	48mm
23550	50mm
23555	55mm
23560	60mm
23565	65mm
23570	70mm
23575	75mm
23581	80mm
23585	85mm
23590	90mm
23595	95mm
235100	100mm
235105	105mm
235110	110mm



SPECIFICATIONS

Thread Diameter: 3.5mm

Core Diameter: 2.4mm

Head Diameter: 6.0mm

Thread Pitch: 1.25mm

Self Tapping

Socket: 2.5mm hexagonal

Drills	Diameter	Product #
Threaded Hole	2.5mm	94251
Gliding Hole	3.5mm	94351

3.5mm Locking Screw, Fully Threaded

PROFILE

Thread Diameter: 3.5mm

Core Diameter: 2.9mm

Head Diameter: 5.0mm

Thread Pitch: 0.4mm double lead

Self Tapping

Socket: Size 15 hexalobular

Drills	Diameter	Product #
Threaded Hole	2.8mm	94281

Product #	Length
293510	10mm
293512	12mm
293514	14mm
293516	16mm
293518	18mm
293520	20mm
293522	22mm
293524	24mm
293526	26mm
293528	28mm
293530	30mm
293532	32mm
293534	34mm
293536	36mm
293538	38mm
293540	40mm
293545	45mm
293548	48mm
293550	50mm
293555	55mm
293560	60mm
293565	65mm
293570	70mm
293575	75mm
293580	80mm
293585	85mm
293590	90mm
293595	95mm

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

3.5mm Pelvic Screw, Self-Tapping

Product #	Length
43540	40mm
43545	45mm
43550	50mm
43555	55mm
43560	60mm
43565	65mm
43570	70mm
43575	75mm
43580	80mm
43585	85mm
43590	90mm
43595	95mm
435100	100mm
435105	105mm
435110	110mm



SPECIFICATIONS

Thread Diameter: 3.5mm

Core Diameter: 2.4mm

Head Diameter: 6.0mm

Thread Pitch: 1.25mm

Socket: 2.5mm hexagonal

Drills	Diameter	Product #
Threaded Hole	2.5mm	94251
Gliding Hole	3.5mm	94351

3.5mm Shaft Screw

Product #	Length
63516	16mm
63518	18mm
63520	20mm
63522	22mm
63524	24mm
63526	26mm
63528	28mm
63530	30mm
63532	32mm
63534	34mm
63536	36mm
63538	38mm
63540	40mm
63545	45mm
63550	50mm

SPECIFICATIONS

Thread Diameter: 3.5mm

Core Diameter: 2.4mm

Head Diameter: 6.0mm

Thread Pitch: 1.25mm

Socket: 2.5mm hexagonal

Drills	Diameter	Product #
Threaded Hole	2.5mm	94251
Gliding Hole	3.5mm	94351

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

4.0mm Locking Screw

Product #	Length
294014	14mm
294016	16mm
294018	18mm
294020	20mm
294022	22mm
294024	24mm
294026	26mm
294028	28mm
294030	30mm
294032	32mm
294034	34mm
294036	36mm
294038	38mm
294040	40mm
294042	42mm
294044	44mm
294046	46mm
294048	48mm
294050	50mm
294052	52mm
294054	54mm
294056	56mm
294058	58mm
294060	60mm
294062	62mm

SPECIFICATIONS

Thread Diameter: 4.0mm

Core Diameter: 3.4mm

Head Diameter: 6.5mm

Thread Pitch: 0.5mm double lead

Self Tapping

Socket: Size 25 Hexalobular

Drills	Diameter	Product #
Threaded Hole	3.2mm	94321

4.0mm Cancellous Screw, Partially Threaded



SPECIFICATIONS

Thread Diameter: 4mm

Core Diameter: 1.9mm

Shaft Diameter: 2.3mm

Head Diameter: 6.0mm

Thread Pitch: 1.75mm

Socket: 2.5mm hexagonal

Drills	Diameter	Product #
Threaded Hole	2.5mm	94251

Product #	Length
14010.2	10mm
14012.2	12mm
14014.2	14mm
14016.2	16mm
14018.2	18mm
14020.2	20mm
14022.2	22mm
14024.2	24mm
14026.2	26mm
14028.2	28mm
14030.2	30mm
14035.2	35mm
14040.2	40mm
14045.2	45mm
14050.2	50mm
14055.2	55mm
14060.2	60mm

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

4.0mm Cancellous Screw, Fully Threaded

Product #	Length
14010.1	10mm
14012.1	12mm
14014.1	14mm
14016.1	16mm
14018.1	18mm
14020.1	20mm
14022.1	22mm
14024.1	24mm
14026.1	26mm
14028.1	28mm
14030.1	30mm
14032.1	32mm
14035.1	35mm
14036.1	36mm
14040.1	40mm
14045.1	45mm
14050.1	50mm
14055.1	55mm
14060.1	60mm

SPECIFICATIONS

Thread Diameter: 4mm

Core Diameter: 1.9mm

Head Diameter: 6.0mm

Thread Pitch: 1.75mm

Socket: 2.5mm hexagonal

Drills	Diameter	Product #
Threaded Hole	2.5mm	94251

4.5mm Cortical Screw, Self-Tapping



SPECIFICATIONS

Thread Diameter: 4.5mm

Core Diameter: 3.0mm

Head Diameter: 8.0mm

Thread Pitch: 1.75mm

Self Tapping

Socket: 3.5mm hexagonal

Drills	Diameter	Product #
Threaded Hole	3.2mm	94321
Gliding Hole	4.5mm	94451

Product #	Length
24514	14mm
24516	16mm
24518	18mm
24520	20mm
24522	22mm
24524	24mm
24526	26mm
24528	28mm
24530	30mm
24532	32mm
24534	34mm
24536	36mm
24538	38mm
24540	40mm
24542	42mm
24544	44mm
24546	46mm
24548	48mm
24550	50mm
24552	52mm
24554	54mm
24556	56mm
24558	58mm
24560	60mm
24562	62mm
24564	64mm
24568	68mm
24570	70mm

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

4.5mm Malleolar Screw

Product #	Length
34525	25mm
34530	30mm
34535	35mm
34540	40mm
34545	45mm
34550	50mm
34555	55mm
34560	60mm
34565	65mm
34570	70mm

Drills	Diameter	Product #
Threaded Hole	3.2mm	94321

SPECIFICATIONS

Thread Diameter: 4.5mm
Core Diameter: 3.0mm
Head Diameter: 8.0mm
Shaft Diameter: 3.0mm
Thread Pitch: 1.75mm
Socket: 3.5mm hexagonal

4.5mm Shaft Screw

Product #	Length
64528	28mm
64530	30mm
64532	32mm
64534	34mm
64536	36mm
64538	38mm
64540	40mm
64542	42mm
64544	44mm
64546	46mm
64548	48mm
64550	50mm

Drills	Diameter	Product #
Threaded Hole	3.2mm	94321
Gliding Hole	4.5mm	94451

SPECIFICATIONS

Thread Diameter: 4.5mm
Core Diameter: 3.0mm
Head Diameter: 8.0mm
Shaft Diameter: 4.5mm
Thread Pitch: 1.75mm
Socket: 3.5mm hexagonal

5.0mm Locking Screw

SPECIFICATIONS

Thread Diameter: 5.0mm

Core Diameter: 4.4mm

Head Diameter: 6.5mm

Thread Pitch: 0.5mm double lead

Self Tapping

Socket: Size 25 Hexalobular

Drills	Diameter	Product #
Threaded Hole	4.3mm	94431

Product #	Length
295014	14mm
295016	16mm
295018	18mm
295020	20mm
295022	22mm
295024	24mm
295026	26mm
295028	28mm
295030	30mm
295032	32mm
295034	34mm
295036	36mm
295038	38mm
295040	40mm
295042	42mm
295044	44mm
295046	46mm
295048	48mm
295050	50mm
295055	55mm
295060	60mm
295065	65mm
295070	70mm
295075	75mm
295080	80mm
295085	85mm
295090	90mm

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

6.5mm Cancellous Screw, 16mm Threads

Product #	Length
16530.5	30mm
16535.5	35mm
16540.5	40mm
16545.5	45mm
16550.5	50mm
16555.5	55mm
16560.5	60mm
16565.5	65mm
16570.5	70mm
16575.5	75mm
16580.5	80mm
16585.5	85mm
16590.5	90mm
16595.5	95mm
165100.5	100mm
165105.5	105mm
165110.5	110mm
165115.5	115mm

SPECIFICATIONS

Thread Diameter: 6.5mm

Core Diameter: 3.0mm

Shaft Diameter: 4.5mm

Head Diameter: 8.0mm

Thread Pitch: 2.75mm

Socket: 3.5mm hexagonal

Drills	Diameter	Product #
Threaded Hole	3.2mm	94321
Gliding Hole	4.5mm	94451

6.5mm Cancellous Screw, 32mm Threads



Product #	Length
16545.6	45mm
16550.6	50mm
16555.6	55mm
16560.6	60mm
16565.6	65mm
16570.6	70mm
16575.6	75mm
16580.6	80mm
16585.6	85mm
16590.6	90mm
16595.6	95mm
165100.6	100mm
165105.6	105mm
165110.6	110mm

SPECIFICATIONS

Thread Diameter: 6.5mm

Core Diameter: 3.0mm

Shaft Diameter: 4.5mm

Head Diameter: 8.0mm

Thread Pitch: 2.75mm

Socket: 3.5mm hexagonal

Drills	Diameter	Product #
Threaded Hole	3.2mm	94321
Gliding Hole	4.5mm	94451

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

6.5mm Cancellous Screw, Fully Threaded

Product #	Length
16520.1	20mm
16525.1	25mm
16530.1	30mm
16535.1	35mm
16540.1	40mm
16545.1	45mm
16550.1	50mm
16555.1	55mm
16560.1	60mm



Drills	Diameter	Product #
Threaded Hole	3.2mm	94321
Gliding Hole	4.5mm	94451

SPECIFICATIONS

Thread Diameter: 6.5mm

Core Diameter: 3.0mm

Head Diameter: 8.0mm

Thread Pitch: 2.75mm

Socket: 3.5mm hexagonal

Wires

Product #	Description
911250	Kirschner Wire, Trocar Point, 1.25mm x 150mm
911620	Kirschner Wire, Trocar Point, 1.6mm x 150mm
91201	Kirschner Wire, Trocar Point, 2.0mm x 150mm
911251	Guide Wire, Threaded, 1.25 x 150mm
91160	Guide Wire, Threaded, 1.6mm x 150mm
91202	Guide Wire, Non-Threaded, Spade Point, 2.0mm x 230mm

Washers

337042	Washer, 7.0mm O.D./ 3.9mm I.D.
3313	Washer, 13.0mm O.D./ 7.2mm I.D.

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Retractors & Elevators

9112

Product #	Description
9112	Hohmann Retractor
	8mm blade
9114	Hohmann Retractor
	15mm blade

9113

Product #	Description
9113	Periosteal Elevator
	Curved Blade and Round Edge 6mm blade
9115	Periosteal Elevator
	Curved Blade and Round Edge 12mm blade

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Reduction Instruments

Product #	Description
9121	Self Centering Bone Forceps
	Size 0, small serrated jaw 190mm Length

9121

Product #	Description
91401	Reduction Forceps
	With points, narrow 132mm Length
91402	Reduction Forceps
	With points, broad 132mm Length

91401

Product #	Description
91403	Reduction Forceps
	Serrated Jaw 144mm Length

91403

Push-Pull Reduction Devices

Product #	Description
91304	For 3.5mm Locking/Compression Plates
91300	For 4.5mm Locking/Compression Plates

91304

Bending Instruments

91600

Product #	Description
91600	Bending Iron, Left
	For 2.7mm and 3.5mm Plates

91601

Product #	Description
91601	Bending Iron, Right
	For 2.7mm and 3.5mm Plates

91602

Product #	Description
91602	Bending Iron
	For 2.7mm and 3.5mm Reconstruction Plates

91611

Product #	Description
91611	Bending Iron
	For 1.25mm, 1.6mm, and 2.0mm K-wires

91603

Product #	Description
91603	Bending Pliers
	For 2.7mm and 3.5mm Reconstruction Plates

91610

Product #	Description
91610	Wire Bending Pliers
	160mm

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Bending Templates

Product #	Description
91605	Bending Template for 3.5mm Plates
	Compression Plate Side: 7 Holes *Locking/Compression Plate Side: 9 Holes* *91mm Length*
91606	Bending Template for 3.5mm Plates
	Compression Plate Side: 9 Holes *Locking/Compression Plate Side: 11 Holes* *116mm Length*
91604	Bending Template for 3.5mm Plate
	Compression Plate Side: 12 Holes *Locking/Compression Plate Side: 17 Holes* *163mm Length*
91608	Bending Template for 4.5mm Plates
	Compression Plate Side: 7 Holes *Locking/Compression Plate Side: 8 Holes* *124mm Length*
91609	Bending Template for 4.5mm Plates
	Compression Plate Side: 9 Holes *Locking/Compression Plate Side: 11 Holes* *160mm Length*
91607	Bending Template for 4.5mm Plates
	Compression Plate Side: 12 Holes *Locking/Compression Plate Side: 15 Holes* *214mm Length*

91606 Locking/Compression

91606 Compression

Threaded Plate Holders

Product #	Description
9183	3.5mm Threaded Plate Holder
	For use with 3.5mm Locking/Compression Plates
9184	3.5mm Threaded Holder, Long
	For use with 3.5mm Locking/Compression Plates
9185	4.5mm Threaded Plate Holder
	For use with 4.5mm Locking/Compression Plates

9183

Drill Guides

95201

Product #	Length
95201	2.0mm Parallel Drill Guide and Drill Sleeve

95273

Product #	Length
95273	2.7mm Universal Drill Guide

95355

Product #	Length
95355	3.5mm Compression Drill Guide
95452	4.5mm Compression Drill Guide

95356

Product #	Length
95356	3.5mm Universal Drill Guide

95358

Product #	Length
95358	3.5mm Locking/Compression Drill Guide
95455	4.5mm Locking/Compression Drill Guide

95453

Product #	Length
95453	4.5mm Universal Drill Guide

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Threaded Drill Guides

Product #	Length
95281	Threaded Drill Guide, 2.8mm
	For 3.5mm Locking/Compression Plates
95321	Threaded Drill Guide, 3.2mm
	For 4.5mm Locking/Compression Plates
95431	Threaded Drill Guide, 4.3mm
	For 4.5mm Locking/Compression Plates

95281

Wire Sleeves

Product #	Length
92161	1.6mm Wire Sleeve
	For 2.8mm Threaded Drill Guide
92201	2.0mm Wire Sleeve
	For 4.3mm Threaded Drill Guide

92161

Drill Sleeves

95351

Product #	Description
95351	2.5mm/3.5mm Double Drill Sleeve

95352

Product #	Description
95352	2.5mm/3.5mm Insert Drill Sleeve

95451

Product #	Description
95451	3.2mm/4.5mm Double Drill Sleeve
	For 4.5mm Cortical and Shaft Screws

95454

Product #	Description
95454	3.2mm/4.5mm Insert Drill Sleeve

95651

Product #	Description
95651	3.2mm/6.5mm Double Drill Sleeve
	For 6.5mm Cancellous Screws

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Drill Bits, Two Cutting Flutes

Product #	Diameter	Length
94201	2.0mm	100mm
94202	2.0mm	125mm
94251	2.5mm	110mm
94281	2.8mm	165mm
94321	3.2mm	145mm
94351	3.5mm	110mm
94431	4.3mm	180mm
94451	4.5mm	145mm

94251

Drill Bit, Three Cutting Flutes

Product #	Diameter	Length
94272	2.7mm	125mm

94272

Countersinks & Taps

98451

Product #	Description
98351	Countersink For 3.5mm Cortical and 4.0mm Cancellous Screws
98451	Countersink For 4.5mm Cortical and 6.5mm Cancellous Screws

96401

Product #	Description
96351	Tap For 3.5mm Cortical and Shaft Screws
	110mm
96401	Tap For 4.0mm Cancellous Screws
	110mm
96451	Tap For 4.5mm Cortical and Shaft Screws
	125mm
96651	Tap For 6.5mm Cancellous Screws
	200mm

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Depth Gauges

Product #	Description
97271	Depth Gauge
	For 2.7mm and smaller Screws
97272	Depth Gauge
	For 2.7mm and 3.5mm Cortical Screws; 4.0mm Cancellous Screws
97451	Depth Gauge
	For 4.5mm Cortical and Shaft Screws; 6.5mm Cancellous Screws

97272

Measuring Devices

Product #	Description
9791	Direct Measuring Device
	For 3.5mm Locking Screws
97501	Direct Measuring Device
	For 5.0mm Locking Screws

9791

Screwdrivers

9102

Product #	Description
9102	Small Hexagonal Screwdriver with holding sleeve

9103

Product #	Description
9103	Small Hexagonal Screwdriver Shaft

9109

Product #	Description
9109	Small Hexalobular Screwdriver, Size 15
	Self Retaining

91010

Product #	Description
91010	Small Hexalobular Screwdriver Shaft, Size 15
	Self Retaining, Quick Coupling

91011

Product #	Description
91011	Large Hexalobular Screwdriver, Size 25
	Self Retaining

91012

Product #	Description
91012	Large Hexalobular Screwdriver Shaft, Size 25
	Self-Retaining, Quick Coupling

91013

Product #	Description
91013	Large Hexagonal Screwdriver Shaft

91016

Product #	Description
91016	Large Hexagonal Screwdriver

9108

Product #	Description
9108	Holding Sleeve
	Use with Large Hexagonal Screwdriver

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Handles

Product #	Description
9100	Handle with Quick Coupling
	Use with Taps, Countersinks, and Screwdriver shafts with quick coupling

9100

Product #	Description
9101	T-Handle, Quick Coupling
	Use with Taps, Countersinks, and Screwdriver shafts with quick coupling

9101

Miscellaneous Instruments

99151

Product #	Description
99151	Torque Limiter 1.5Nm, quick connect
99152	Torque Limiter 4Nm, quick connect

91812

Product #	Description
91812	Bone Tamp
	5mm Tip

91813

Product #	Description
91813	Osteotome
	8mm Blade

9186

Product #	Description
9186	Articulated Tension Device, with Gauge

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Miscellaneous Instruments

Product #	Description
9111	Sharp Hook

9111

Product #	Description
9124	Screw Forceps

9124

Product #	Description
9187	Socket Wrench with Universal Joint
	11mm wide

9187

Product #	Description
9188	Combination Wrench
	11mm wide

9188

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Trays

Trays do not include lids. Please order the Universal Lid separately for each tray.

Product #	Description
991101	Large Fragment Locking Plates Tray
991102	Large Fragment Compression Plates Tray
991103	Large Fragment Screws Tray
991110	Small Fragment Compression Implants Tray
991111	Small Fragment Locking System Tray
991112	Small Fragment Standard Instruments Tray
992210	Small Fragment Screw Tray
995500	Universal Lid

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Product # 103320

IMPLANTS

Product #	Holes	Length	Set Qty
73564.5	5	64mm	3
73577.5	6	77mm	3
73590.5	7	90mm	3
735103.5	8	103mm	3
735116.5	9	116mm	2
735129.5	10	129mm	2

3.5mm Straight Compression Plates

Product #	Holes	Length	Set Qty
73561	5	61mm	3
73573	6	73mm	3
73585	7	85mm	3
73597	8	97mm	3
735109	9	109mm	2
735121	10	121mm	2

3.5mm 1/3 Tubular Plate with Collar

Product #	Head Holes	Shaft Holes	Length	Qty
73550	3	3	50mm	1
73556	4	4	56mm	1
73567	3	5	67mm	1

3.5mm T-Plates, Right Angle

Product #	Head Holes	Shaft Holes	Length	Qty
73553.3	3	3	53mm	1
73563.3	3	4	63mm	1
73575.3	3	5	75mm	1

3.5mm T-Plates, Oblique Angle

Product #	Holes	Length	Set Qty
73558	5	58mm	2
73570	6	70mm	2
73582	7	82mm	2
73594	8	94mm	1
735106	9	106mm	1
735118	10	118mm	1

3.5mm Reconstruction Plates

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

3.5mm Straight Locking/Compression Plates

Product #	Holes	Length	Set Qty
835731	7	73mm	3
835821	8	82mm	3
835911	9	91mm	3
8351091	11	109mm	3
8351271	13	127mm	3
8351361	14	136mm	2
8351631	17	163mm	2
8351901	20	190mm	2

3.5mm Locking T-Plates, Oblique Right

Product #	Head Holes	Shaft Holes	Length	Set Qty
835526	3	3	52mm	1
835636	3	4	63mm	1
835746	3	5	74mm	1
835966	3	7	96mm	1

3.5mm Locking T-Plates, Oblique Left

Product #	Head Holes	Shaft Holes	Length	Set Qty
835527	3	3	52mm	1
835637	3	4	63mm	1
835747	3	5	74mm	1
835967	3	7	96mm	1

3.5mm Locking T-Plates, Right Angle

Product #	Head Holes	Shaft Holes	Length	Set Qty
83550	3	3	50mm	1
83567	3	5	67mm	1
83587	3	7	87mm	1
835564	4	4	56mm	1
835784	4	6	78mm	1

1/3 Tubular Plates with Collar, Locking

Product #	Holes	Length	Set Qty
83557	5	57mm	3
83569	6	69mm	3
83581	7	81mm	3
83593	8	93mm	3
835117	10	117mm	2
835141	12	141mm	2

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

3.5mm Cortical Screws

Product #	Length	Set Qty
23510	10mm	8
23512	12mm	8
23514	14mm	8
23516	16mm	8
23518	18mm	8
23520	20mm	8
23522	22mm	8
23524	24mm	8
23526	26mm	8
23528	28mm	8
23530	30mm	8
23532	32mm	8
23534	34mm	6
23536	36mm	6
23538	38mm	6
23540	40mm	6
23545	45mm	6
23550	50mm	6
23555	55mm	4
23560	60mm	4

4.0mm Cancellous Screws, Fully Threaded

Product #	Length	Set Qty
14010.1	10mm	4
14012.1	12mm	4
14014.1	14mm	8
14016.1	16mm	8
14018.1	18mm	8
14020.1	20mm	8
14022.1	22mm	4
14024.1	24mm	4
14026.1	26mm	4
14028.1	28mm	4
14030.1	30mm	4
14032.1	32mm	4
14036.1	36mm	4
14040.1	40mm	4
14045.1	45mm	4
14050.1	50mm	4
14055.1	55mm	4
14060.1	60mm	4

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Small Fragment Locking/Compression Set

Product #	Length	Set Qty
14010.2	10mm	4
14012.2	12mm	4
14014.2	14mm	4
14016.2	16mm	4
14018.2	18mm	4
14020.2	20mm	4
14022.2	22mm	4
14024.2	24mm	4
14026.2	26mm	4
14028.2	28mm	4
14030.2	30mm	8
14035.2	35mm	8
14040.2	40mm	8
14045.2	45mm	8
14050.2	50mm	8

4.0mm Cancellous Screws, Partially Threaded

Product #	Length	Set Qty
293510	10mm	5
293512	12mm	5
293514	14mm	5
293516	16mm	5
293518	18mm	5
293520	20mm	5
293522	22mm	5
293524	24mm	5
293526	26mm	5
293528	28mm	5
293530	30mm	5
293532	32mm	5
293534	34mm	5
293536	36mm	5
293538	38mm	5
293540	40mm	4
293545	45mm	4
293550	50mm	4
293555	55mm	4
293560	60mm	4

3.5mm Locking Screws

WASHERS AND WIRES

Product #	Diameter	Length	Set Qty	Description
337042	7.0mm	---	6	Washer for small screws
911250	1.25mm	150mm	10	Kirschner wire, trocar point
911620	1.6mm	150mm	10	Kirschner wire, trocar point
91160	1.6mm	150mm	10	Kirschner wire, threaded tip
91201	2.0mm	150mm	10	Kirschner wire, trocar tip

INSTRUMENTS

Product #	Quantity	Description
94202	2	2.0mm Drill Bit, quick coupling, 125mm
94251	2	2.5mm Drill Bit, quick coupling, 110mm, gold
94281	2	2.8mm Drill Bit, quick coupling, 165mm
94351	2	3.5mm Drill Bit, quick coupling, 110mm
98351	1	Countersink for 3.5 Cortical and 4.0 Cancellous Screws
96351	2	Tap for 3.5mm Cortical and 3.5mm Shaft Screws, 100mm
96401	2	Tap for 4.0mm Cancellous Screws, 110mm
94272	2	2.7mm Three-Fluted Drill Bit, quick coupling, 125mm
9100	1	Handle with quick coupling
9101	1	T-Handle, quick coupling
95201	1	2.0mm Parallel Drill Guide and Drill Sleeve
95351	1	3.5mm/2.5mm Double Drill Sleeve
95352	1	3.5mm/2.5mm Insert Drill Sleeve
95281	4	2.8mm Threaded Drill Guide
9102	1	Small Hexagonal Screwdriver with holding sleeve
9103	1	Small Hexagonal Screwdriver Shaft
9109	1	Hexalobular drive screwdriver, Size 15, self retaining
91010	1	Hexalobular drive screwdriver shaft, Size 15, self retaining, quick coupling
97271	1	Depth Gauge for 2.7mm and smaller screws
97272	1	Depth Gauge for 2.7 and 3.5 Cortical and 4.0 Cancellous Screws
9111	1	Sharp Hook
9124	1	Screw Forceps
92161	2	1.6mm Wire Sleeve
9791	1	Direct Measuring Device
95273	1	2.7mm Universal Drill Guide
95358	1	3.5mm Locking/Compression Drill Guide

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

95355	1	3.5mm Compression Drill Guide
95356	1	3.5mm Universal Drill Guide
9183	1	Threaded Plate Holder
9184	1	Threaded Plate Holder, Long
91304	1	Push-Pull Reduction Drive
91600	1	Bending Iron for 2.7mm and 3.5mm plates, Left
91601	1	Bending Iron for 2.7mm and 3.5mm plates, Right
91602	2	Bending Iron for 2.7mm and 3.5mm Reconstruction Plates
91603	1	Bending Pliers for 2.7mm and 3.5mm Reconstruction Plates
91604	1	Bending Template, 12 Holes, Compression x 15 holes Locking
91605	1	Bending Template, 7 Holes, Compression x 9 holes Locking
91606	1	Bending Template, 9 Holes, Compression x 11 holes Locking
91610	1	Wire Bending Pliers, 160mm
91611	1	Bending Iron for 1.25mm, 1.6mm, and 2.0mm K-Wires
91401	1	Reduction Forceps with points, narrow
91402	1	Reduction Forceps with points, broad
9121	1	Self Centering Bone Forceps, Size 0
9112	2	Hohmann Retractor, 8mm width
9113	1	Periosteal Elevator, 6mm width, curved blade, round edge
9114	2	Hohmann Retractor, 15mm width
91403	2	Reduction Forceps, with serrated jaw, 144mm length, ratchet
99151	1	Torque Limiter, 1.5Nm, quick connect
91812	1	Bone Tamp, 5mm
91813	1	Osteotome, 8mm

TRAYS AND CADDIES

Product #	Set Qty	Description
991110	1	Small Fragment Compression Implants Tray
991111	1	Small Fragment Locking System Tray
991112	1	Small Fragment Standard Instruments Tray
992210	1	Small Fragment Screw Tray
995500	3	Universal Lid

Product # 103325

IMPLANTS

4.5mm Semi-Tubular Plates

Product #	Holes	Length	Set Qty
74571	4	71mm	2
74587	5	87mm	2
745103	6	103mm	2
745119	7	119mm	1

4.5mm Narrow Straight Compression Plates

Product #	Holes	Length	Set Qty
745701.5	4	70mm	2
745881.5	5	88mm	2
7451061.5	6	106mm	4
7451241.5	7	124mm	2
7451421.5	8	142mm	2
7451601.5	9	160mm	2
7451781.5	10	178mm	1
7452141.5	12	214mm	1

4.5mm Broad Compression Plates

Product #	Holes	Length	Set Qty
7451062.5	6	106mm	2
7451242.5	7	124mm	2
7451422.5	8	142mm	2
7451602.5	9	160mm	1
7451782.5	10	178mm	1
7452142.5	12	214mm	1
7452502.5	14	250mm	1

4.5mm T-Plates

Product #	Holes	Length	Set Qty
74584	4	84mm	1
745116	6	116mm	1
745148	8	148mm	1

4.5mm Buttress Plates

Product #	Holes	Length	Set Qty	Description
74580	4	80mm	1	T-Buttress
745866	4	86mm	1	L-Buttress, Right
745867	4	86mm	1	L-Buttress, Left

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Product #	Holes	Length	Set Qty
845801	5	80mm	1
845931	6	93mm	1
8451191	8	119mm	2
8451321	9	132mm	1
8451451	10	145mm	1
8451581	11	158mm	2
8451711	12	171mm	1
8451841	13	184mm	2
8452101	15	210mm	1
8452231	16	223mm	2
8452621	19	262mm	1
8453011	22	301mm	1

4.5mm Narrow Locking/Compression Plates

Product #	Holes	Length	Set Qty
8451192	8	119mm	1
8451322	9	132mm	1
8451452	10	145mm	1
8451582	11	158mm	1
8451712	12	171mm	1
8451842	13	184mm	1
8452102	15	210mm	1
8452232	16	223mm	1
8452622	19	262mm	1
8453012	22	301mm	1

4.5mm Broad Locking/Compression Plates

Product #	Holes	Length	Set Qty
84583	4	83mm	1
845115	6	115mm	1
845147	8	147mm	1

4.5mm Locking T-Plates

4.5mm Cortical Screws, Self-Tapping

Product #	Length	Set Qty
24514	14mm	4
24516	16mm	4
24518	18mm	4
24520	20mm	8
24522	22mm	8
24524	24mm	8
24526	26mm	8
24528	28mm	8
24530	30mm	12
24532	32mm	12
24534	34mm	12
24536	36mm	12
24538	38mm	12
24540	40mm	12
24542	42mm	8
24544	44mm	4
24546	46mm	4
24548	48mm	4
24550	50mm	4
24552	52mm	4
24554	54mm	4
24556	56mm	4
24558	58mm	4
24560	60mm	4
24562	62mm	4
24564	64mm	4
24568	68mm	4
24570	70mm	4

4.5mm Malleolar Screws

Product #	Length	Set Qty
34525	25mm	2
34530	30mm	2
34535	35mm	2
34540	40mm	2
34545	45mm	2
34550	50mm	2
34555	55mm	2
34560	60mm	2
34565	65mm	2
34570	70mm	2

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Product #	Length	Set Qty
64528	28mm	2
64530	30mm	2
64532	32mm	2
64534	34mm	2
64536	36mm	2
64538	38mm	2
64540	40mm	2
64542	42mm	2
64544	44mm	2
64546	46mm	2
64548	48mm	2
64550	50mm	2

4.5mm Shaft Screws

Product #	Length	Set Qty
16530.5	30mm	4
16535.5	35mm	4
16540.5	40mm	4
16545.5	45mm	4
16550.5	50mm	4
16555.5	55mm	4
16560.5	60mm	4
16565.5	65mm	4
16570.5	70mm	4
16575.5	75mm	4
16580.5	80mm	4
16585.5	85mm	4
16590.5	90mm	4
16595.5	95mm	4
165100.5	100mm	4
165105.5	105mm	4
165110.5	110mm	4

6.5mm Cancellous Screws, 16mm Threads

Product #	Length	Set Qty
16525.1	25mm	4
16530.1	30mm	4
16535.1	35mm	4
16540.1	40mm	4
16545.1	45mm	4
16550.1	50mm	4
16555.1	55mm	4
16560.1	60mm	4

6.5mm Cancellous Screws, Fully Threaded

6.5mm Cancellous Screws, 32mm Threads

Product #	Length	Set Qty
16545.6	45mm	4
16550.6	50mm	4
16555.6	55mm	4
16560.6	60mm	4
16565.6	65mm	4
16570.6	70mm	4
16575.6	75mm	4
16580.6	80mm	4
16585.6	85mm	4
16590.6	90mm	4
16595.6	95mm	4
165100.6	100mm	4
165105.6	105mm	4
165110.6	110mm	4

4.0mm Locking Screws

Product #	Length	Set Qty
294014	14mm	3
294016	16mm	3
294018	18mm	3
294020	20mm	3
294022	22mm	3
294024	24mm	3
294026	26mm	3
294028	28mm	3
294030	30mm	3
294032	32mm	3
294034	34mm	3
294036	36mm	3
294038	38mm	3
294040	40mm	3
294042	42mm	3
294044	44mm	3
294046	46mm	3
294048	48mm	3
294050	50mm	3
294052	52mm	3
294054	54mm	3
294056	56mm	3
294058	58mm	3
294060	60mm	3
294062	62mm	3

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Large Fragment Locking/Compression Set

Product #	Length	Set Qty
295014	14mm	5
295016	16mm	5
295018	18mm	5
295020	20mm	5
295022	22mm	5
295024	24mm	5
295026	26mm	5
295028	28mm	5
295030	30mm	5
295032	32mm	5
295034	34mm	5
295036	36mm	5
295038	38mm	5
295040	40mm	5
295042	42mm	5
295044	44mm	3
295046	46mm	3
295048	48mm	3
295050	50mm	3
295055	55mm	3
295060	60mm	3
295065	65mm	3
295070	70mm	3
295075	75mm	3
295080	80mm	3
295085	85mm	3
295090	90mm	3

5.0mm
Locking Screws

WASHERS AND WIRES

Product #	Diameter	Length	Set Qty	Description
3313	13.0mm	---	6	Washer for large screws
91201	2.0mm	150mm	10	Kirschner wire, trocar tip
91202	2.0mm	230mm	10	Non-Threaded Guide Wire, spade point

TRAYS AND CADDIES

Product #	Set Qty	Description
991101	1	Large Fragment Locking Plate Tray
991102	1	Large Fragment Compression Plate Tray
991103	1	Large Fragment Screw Tray
995500	3	Universal Lid

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

INSTRUMENTS

Product #	Quantity	Description
94201	2	2.0mm Drill Bit, quick coupling, 100mm
94321	2	3.2mm Drill Bit, quick coupling, 145mm
94431	2	4.3mm Drill Bit, quick coupling, 180mm, for 5.0mm Locking Screws
94451	2	4.5mm Drill Bit, quick coupling, 145mm
98451	1	Countersink, for 4.5mm Cortical and 6.5mm Cancellous Screws
9101	1	T-Handle, with quick coupling
91300	2	Push-Pull Reduction Device, for use with 4.5mm locking plates
96451	2	Tap for 4.5mm Cortical and Shaft Screws
96651	2	Tap for 6.5mm Cancellous Bone Screws
95321	2	3.2mm Threaded Drill Guide
95431	4	4.3mm Threaded Drill Guide
95451	1	4.5mm/3.2mm Double Drill Sleeve
95454	1	4.5mm/3.2mm Insert Drill Sleeve
95651	1	6.5mm/3.2mm Double Drill Sleeve
9108	1	Holding Sleeve
91011	1	Hexalobular Screwdriver, size 25, self-retaining
91012	1	Hexalobular Screwdriver Shaft, size 25, self-retaining
91013	1	Large Hexagonal Screwdriver Shaft, quick coupling
91016	1	Large Hexagonal Screwdriver
97451	1	Depth Gauge for 4.5mm Cortical, 4.5mm Shaft and 6.5mm Cancellous Screws
9111	1	Sharp Hook
9124	1	Screw Forceps
9186	1	Articulated Tension Device
9187	1	Socket Wrench with universal joint
9188	1	Combination Wrench
97501	1	Direct Measuring Device for 5.0mm Locking Screws
92201	2	2.0mm Wire Sleeve for 4.3mm Threaded Drill Guide
95455	1	4.5mm Locking/Compression Drill Guide
95452	1	4.5mm Compression Drill Guide
95453	1	4.5mm Universal Drill Guide
9185	1	Threaded Plate Holder for 5.0mm Locking hole
91607	1	Bending Template, 12 compression x 15 Locking holes
91608	1	Bending Template, 7 compression x 8 Locking holes
91609	1	Bending Template, 9 compression x 11 Locking holes
99152	1	Torque Limiting Attachment, 4Nm, quick connect
9115	1	Periosteal Elevator

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Alphabetic Glossary

ARTICULATED TENSION DEVICE **36**
BENDING TEMPLATES **27**
BENDING IRON
For Straight Plates 26
For Reconstruction Plates 26
For K-wires 26
BENDING PLIERS **26**
BENDING TEMPLATES **27**
BONE TAMP **36**
BUTTRESS PLATES
4.5mm T-Buttress 9
4.5mm L-Buttress 9
CANCELLOUS SCREWS .....
4.0mm 16-17
6.5mm 21-23
COMBINATION WRENCH **37**
COMPRESSION DRILL GUIDES **28**
COMPRESSION PLATES .....
3.5mm 1
3.5mm Broad 1
4.5mm Narrow 6
4.5mm Broad 6
CORTICAL SCREWS
2.7mm 10
3.5mm 11
4.5mm 18
COUNTERSINKS **32**
DEPTH GAUGES **33**
DIRECT MEASURING DEVICES **33**
DRILL BITS **31**
DRILL GUIDES **28**
DRILL SLEEVES **30**
GUIDE WIRES **23**
HANDLE WITH QUICK CONNECT **35**
HOHMANN RETRACTORS **24**
HOLDING SLEEVE FOR
LARGE SCREWDRIVER **34**
HOOK **37**
IMPLANTS
Plates
Buttress
4.5mm T-Buttress 9
4.5mm L-Buttress 9
Compression
3.5mm 1
3.5mm Broad 1
4.5mm Narrow 6
4.5mm Broad 6
Locking/Compression
3.5mm 2
4.5mm Broad 7
4.5mm Narrow 7
One Third Tubular 2
One Third Tubular, Locking 3
Reconstruction
3.5mm 3
3.5mm Locking 4
Semi-Tubular 8
T-Plates
3.5mm, Right Angle 5
3.5mm, Oblique Angle 5
3.5mm Locking, Oblique 5
3.5mm Locking, Right Angle 4
4.5mm T-Plates 8
4.5mm Locking 8
Screws
Cancellous
4.0mm 16-17
6.5mm 21-23
Cortical
2.7mm 10
3.5mm 11
4.5mm 18
Locking
3.5mm 12
4.0mm 15
5.0mm 20
Malleolar 19
Pelvic 13
Shaft
3.5mm 14
4.5mm 19
Washers 23
SETS
Small Fragment 39-45
Large Fragment 46-52
IMPLANT SETS **39-52**
INSTRUMENTS
Articulated Tension Device 36
Bending Templates 27
Bending Irons 26
Bending Pliers 26
Bone Forceps 25
Bone Tamp 36
Countersinks 32
Depth Gauges 33
Direct Measuring Devices 33
Drill Bits 31
Drill Guides 28-29
Drill Sleeves 30
Handles 35
Holding Sleeve 34
Hook 37
Insert Drill Sleeves 30
Measuring Devices 33
Osteotome 36

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

Alphabetic Glossary

Periosteal Elevators 24
Plate Bending Pliers 26
Plate Holders, Threaded 27
Push-Pull Reduction Device 25
Reduction Forceps 25
Retractors 24
Screw Forceps 37
Screwdrivers and Shafts 34
Taps 32
Threaded Drill Guides 29
Threaded Plate Holders 27
Torque Limiters 36
Wire Sleeves 29
Wires 23
Wrenches 37

KIRSCHNER WIRES 23
L-BUTTRESS PLATES 9
LARGE FRAGMENT SET 46-52
LOCKING/COMPRESSION PLATES
3.5mm 2
4.5mm Narrow 7
4.5mm Broad 7
LOCKING/COMPRESSION DRILL GUIDES 28
LOCKING SCREWS
3.5mm 12
4.0mm 15
5.0mm 20
MALLEOLAR SCREWS 19
ONE THIRD TUBULAR PLATES 2
ONE THIRD TUBULAR PLATES, LOCKING 3
OSTEOTOME 36
PELVIC SCREWS 13
PERIOSTEAL ELEVATORS 24
PLATES
Compression 1,6
Buttress 9
Locking 3-5,8
Locking/Compression 2,7
One-Third Tubular 2-3
Reconstruction 3-4
Semi-Tubular 8
T-Plates 4-5,8
PUSH-PULL REDUCTION DEVICE 25
RECONSTRUCTION PLATES
3.5mm 3
3.5mm Locking 4
REDUCTION FORCEPS 25
RETRACTORS 24
SCREW FORCEPS 37
SCREWDRIVER
Hexagonal 34
Hexalobular 34
SCREWDRIVER SHAFT
Hexagonal 34
Hexalobular 34
SCREWS
Cancellous 16-17,21-23
Cortical 10,11,18
Locking 12,15,20
Malleolar 19
Pelvic 13
Shaft 14,19
SELF CENTERING BONE FORCEPS 25
SEMI-TUBULAR PLATES 8
SETS 39-52
SHAFT SCREWS
3.5mm 14
4.5mm 19
SMALL FRAGMENT SET 39-45
SOCKET WRENCH WITH U-JOINT 37
T-BUTTRESS PLATE 9
T-HANDLE 35
T-PLATES
3.5mm, Right Angle 5
3.5mm, Oblique Angle 5
3.5mm Locking, Oblique 5
3.5mm Locking, Right Angle 4
4.5mm T-Plates 8
4.5mm Locking 8
TAPS 32
THREADED DRILL GUIDES 29
THREADED PLATE HOLDERS 27
TORQUE LIMITERS 36
STERILIZATION TRAYS 38
UNIVERSAL DRILL GUIDES 28
WASHERS 23
WIRES
Kirschner 23
Guide 23
WIRE BENDING PLIERS 26
WIRE SLEEVES 29
WRENCHES 37

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

3313 23
9100 - 9101 35
9102 - 9109 34
9111 37
9112 - 9115 24
9121 25
9124 37
9183 - 9185 27
9186 36
9187 - 9188 37
9791 33
14010.1 - 14060.1 17
14010.2 - 14060.2 16
16520.1 - 16560.1 23
16530.5 - 165115.5 21
16545.6 - 165110.6 22
2276 - 22755 10
23510 - 235110 11
24514 - 24570 18
34525 - 34570 19
43540 - 435110 13
63516 - 63550 14
64528 - 64550 19
73525 2
73525.5 1
73537 2
73538.5 1
73549 2
73550 5
73551.5 1
73553.3 5
73556 5
73558 3
73561 2
73563.3 5
73564.5 1
73567 5
73570 3
73573 2
73575.3 5
73577.5 1
73582 3
73585 2
73590.5 1
73594 3
73597 2
74571 8
74580 9
74584 8
74587 8
83533 3
83545 3
83550 4
83557 3
83567 4
83569 3
83572 4
83581 3
83584 4
83587 4
83593 3
83596 4
84583 8
91010 - 91016 34
91160 23
91201 - 91202 23
91300, 91304 25
91401 - 91403 25
91600 - 91603 26
91604 - 91609 27
91610 - 91611 26
91812 -91813 36
92161 29
92201 29
94201 - 94202 31
94251 - 94281 31
94321 - 94451 31
95201 28
95273 28
95281 29
95321 29
95351 - 95352 30
95355 - 99356 28
95358 28
95431 29
95451 30
95452 - 95453 28
95454 30
95455 28
95651 30
96351 32
96401 32
96451 32
96651 32
97271 - 97272 33
97451 33
97501 33
98351 32
98451 32
99151 - 99152 36
103320 39-45
103325 46-52
293510 - 293595 12
294014 -294062 15
295014 - 295090 20
337042 23
735103.5 1
735106 3
735109 2
735116.5 1
735118 3
735121 2
735129.5 1
735142.5 1
735145 2
735155.5 1
735181.5 1
735195.5 1
735207.5 1
735233.5 1
735259.5 1
735902.5 1
745103 8
745116 8
745119 8
745148 8
745701.5 6
745866 9
745867 9
745881.5 6
835105 3
835108 4
835117 3
835120 4
835129 3
835141 3
835144 4
835156 4
835168 4
835180 4
835526 5
835527 5
835564 4
835636 5
835637 5
835731 2
835746 5
835747 5
835784 4
835821 2
835911 2
835966 5
835967 5
845115 8
845147 8
845671 7
845801 7
845931 7
911250 23
911620 23
991101 - 991103 38
991110 - 991112 38
992210 38
995500 38
7351032.5 1
7351162.5 1
7351292.5 1
7351552.5 1
7351812.5 1
7352072.5 1
7352332.5 1
7352592.5 1
7451061.5 6
7451062.5 6
7451241.5 6
7451242.5 6
7451421.5 6
7451422.5 6
7451601.5 6
7451602.5 6
7451781.5 6
7451782.5 6
7452141.5 6
7452142.5 6
7452502.5 6
8351091 2
8351271 2
8351361 2
8351451 2
8351631 2
8351901 2
8451191 7
8451192 7
8451321 7
8451322 7
8451451 7
8451452 7
8451581 7
8451582 7
8451711 7
8451712 7
8451841 7
8451842 7
8452101 7
8452102 7
8452231 7
8452232 7
8452621 7
8452622 7
8453011 7
8453012 7

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673

www.primeinstrumentintl.com
prime.instruments@hotmail.com
+92 300 2621673